



Thumb Sign and Wrist Sign in Marfan's Syndrome

***Corresponding Author(s): Purushottam Parajuli**

Department of Surgery, Indira Gandhi Memorial Hospital, Male, Maldives.

Tel: 977-984-890-5146, Fax: +960-333-5335;

Email: drpuruaiims@gmail.com

Received: Aug 06, 2020

Accepted: Sep 17, 2020

Published Online: Sep 21, 2020

Journal: Journal of Clinical Images

Publisher: MedDocs Publishers LLC

Online edition: <http://meddocsonline.org/>

Copyright: © Parajuli P (2020). *This Article is distributed under the terms of Creative Commons Attribution 4.0 International License*

Clinical image description

27-year-old male with musculoskeletal features of Marfan syndrome presented to Surgery Outpatient Department for abdominal pain. On investigation he was found to have multiple intestinal diverticula without any complications. He was managed for his symptoms. He also had other features like high arch palate. Thumb sign in Marfan syndrome is because of combination of hypermobility of thumb and longer thumb than usual (Figure A). Similarly, Wrist sign is because of thin wrist and longer fingers (Figure B).




Figure A

Cite this article: Parajuli P. Thumb Sign and Wrist Sign in Marfan's Syndrome. J Clin Images. 2020; 3(1): 1065.





Figure B