

ISSN: 2640-1223

Journal of Veterinary Medicine and Animal Sciences

Open Access | Review Article

Sources of Hazards to the Human Food

Fahim A Shaltout*

Food Control, Faculty of Veterinary Medicine, Benha University, Egypt.

*Corresponding Author(s): Fahim A Shaltout

Food Control, Faculty of Veterinary Medicine, Benha

University, Egypt.

Email: fahim.shaltout@fvtm.bu.edu.eg

Received: Jul 08 2024 Accepted: Aug 30, 2024

Published Online: Sep 06, 2024

Journal: Journal of Veterinary Medicine and Animal Sciences

Publisher: MedDocs Publishers LLC

Online edition: http://meddocsonline.org/ Copyright: © Shaltout FA (2024). *This Article is*

distributed under the terms of Creative Commons Attribution

4.0 International License

Keywords: Food contaminants; Hazards; Biological; Chemical; Physical.

Introduction

The Food contamination is a severe public health issue worldwide, leading to the food-borne diseases that affect humans annually. Contamination describes a situation of the presence of unwanted elements that is not appropriate for use. The Food contamination usually happens when foreign particles such as microorganisms, chemicals, and insects are present. Recently, many incidents related to the food contamination, the food mislabeling, and the food safety have been reported, which has attracted increasing attention [1-7]. However, the development of reliable and efficient techniques of detection was challenging due to the complexity of the food matrices and trace levels of contaminants in the food. The biosensor is an alternative with the excellent selectivity, the specificity, the sensitivity, the usability, the flexibility, the low cost, and the quick processing time. The toxicological elements, and the biosensor technology risk analysis [8-14]. The Different applications of the biosensor technology for the identification of the chemical contaminants, including the pesticides, the heavy metals, the migratory substances from the packaging materials, the pollutants, and the unapproved and the dangerous food additives in the food [15-

Abstract

A food contaminant refers to any substance that is present in the food and can potentially cause harm to the consumers. The Food contaminants may be biological, chemical, or physical in nature. They can be naturally occurring in the food material or introduced during the food production, handling, or storage. Every food business is mandated to establish controls and monitoring procedures against the food contaminants. A food object is referred to as contaminated if it comes in contact with an unwanted substance and could result in severe illness or injury if consumed. Contamination can occur through various means, including biological, chemical, or physical sources, and it is a significant concern for the food safety and quality assurance in the industry.

Types of the food contamination

The three types of the food contamination are the following:

The Biological contamination, The Chemical contamination, The Physical contamination

These types are the major categories of the food contamination and do not include others, such as allergenic contamination and radiological contamination. Depending on the type of raw materials and products being produced, the most common food hazards in a business may vary [22-28].

The Biological contamination

One of the most common types of contamination, biological contamination, refers to the presence of harmful microorganisms such as bacteria, molds, yeasts, viruses, and parasites. These harmful agents are collectively known as the food pathogens. Depending on the biological hazards in the food, their effects can range from mild problems such as the nausea to the life threatening foodborne illnesses. Some of the most common biological contaminants in the food industry include the Norovirus, the Salmonella, the Nontyphoidal Salmonella, the Escherichia coli (E.coli), the Shigella, the Hepatitis A [29-36]. These



Cite this article: Shaltout FA. Sources of hazards to the human food. J Vet Med Animal Sci. 2024; 7(2): 1146.

pathogens are the top six microorganisms that cause foodborne illnesses in the US. Other pathogens such as the Clostridium botulinum, the Staphylococcus aureus, and the Listeria are also top contenders in this category.the Biological contaminants or otherwise termed the microbiological contaminants. Every year, the effect of these pathogens accounts for at least 20% of the foodborne illnesses in the US. The Effects and examples of the biological contamination [37-42]. The Biological contaminations can produce distinct changes in food items after a while. In favorable conditions, such as in the temperature danger zone, The biological contaminants can produce the following changes to the food, Produce acid and lower the pH of the product, Produce a bad smell, Change the color of the food, Soften the texture of the food. These changes indicate the food spoilage and that the food products are not safe for consumption anymore. Although the effects of biological contamination can be severe, they can always be prevented and controlled. The Proper food safety practices and constant monitoring are key to controlling biological contaminants. With an effective food safety management system, the sources of these contaminants can be controlled and rooted out. Some biological contaminants are naturally part of fresh produce, especially those that are grown from the soil and are exposed to environmental contaminations, such as root crops. Other perishable foods, such as unpasteurized milk, milk products, raw sprouts, leafy greens, raw fish, and raw meat, are very nutritious, and they make a good growing medium for infectious organisms. They can cause health risks when not handled properly. In addition, drinking water contaminants can be a very dangerous source of these biological contaminants [31-36]. The Contaminants can enter the food production system during the food preparation process through contaminated water when raw materials are washed. This fact tells you that any food ingredient must be properly prepared and cooked to prevent disease causing microorganisms from causing any damage or harm to consumers. The Hands with blue latex gloves disinfecting tomatoes to decontaminate the fruit from coronavirus. Washing the fruit with water and lye to remove viruses [37-42].

The Chemical contamination

The Chemical contamination refers to the presence of the unwanted chemicals in the foods that can compromise their safety. The most common chemical contaminant examples in the food establishments include the Cleaning solutions, the Fertilizer residues, the Pesticides, the Industrial oils ,the Additives , the Production by products. The mentioned chemical contaminants can enter a food business at any point and contaminate the foods. The Chemical contaminants carry a great threat to the health of the consumers [43-48]. Their effects can vary depending on the sources and the concentrations. The Chemical contaminations can be divided into different categories based on their origin, the Industrial, the Agricultural, the Toxic heavy metal, the Natural While the chemical contaminations occur less often than the biological contamination, their potential to cause the damage is significant. The Effects and the examples of the chemical contamination, Some the chemical contamination, such as the cleaning agents, can cause the burning, the swelling, the gastric problems, and sometimes even the longterm effects [49-54]. The Chemical substances may be introduced to the food being made through improper use and the food handling. Some examples of the chemical contamination in a food establishment, the Cleaning products, when not properly removed, can stay on the kitchen surfaces and then become transferred to the food. The kitchen tools coated with the nonfood grade

materials have been reported to have the contaminated foods with the toxic metals. The Agricultural products such as the fertilizer residues and the pesticides can stay on the raw produce [55-60]. The Substances such as the additives can be considered contaminants when added in excess or found in the products that shouldn't be in. The preparation of the food also plays a great role when it comes to the chemical contamination. For instance, the improper washing of the fresh produce can leave traces of the fertilizers or the pesticides that can find their way into the other food products. The effects of these unwashed contaminants can worsen when exposed to the heat and served to the customers. Additionally, the byproducts such as the acrylamide can be used as an indication of the temperature abuse. This substance is a harmful chemical that is considered a carcinogen. Controlling the chemical contamination. The Sanitizer Concentration Log and The Cleaning and the Sanitation Checklist help to minimize and control cases of the chemical contamination in the commercial food facilities [61-65].

The Physical contamination

The Physical contamination is the presence of the unwanted foreign materials in the food. These foreign materials can cause the injuries, the bleeding, the choking, and the broken teeth when ingested. At worst, the physical hazards can block the air passage and prevent the normal breathing [66-71]. The Physical contaminants can be categorized as the natural or the unnatural depending on the nature of the contaminant. Some examples of the physical contamination include the presence of the following, the Natural physical contaminants, the Bone fragments ,the Feathers or hair , the Pit, stem, and the skin of the raw fruits, the Pest droppings, the Unnatural physical contaminants, the Glass, the Plastic, the Soil or sand, the Metal shards, the Personal effects (e.g., jewelry). The Natural physical contaminants are naturally part of the food materials, such as the fruit stems, whereas the unnatural ones include the stones, the glass, and the metal fragments. The Physical contaminants, depending on their size, can be detected through the visual detection [72-77]. The Effects and examples of the physical contamination when undetected, the physical contaminations can cause serious injuries to the consumers. Some may cause the injury, whereas others can create the cuts to the throat or the mouth. The Physical contaminants can come from the food handlers and become transferred, such as the fingernails or the hair in the food. In addition to causing the injuries, these contaminants can become precursors to other types of the contamination, such as the biological contamination [78-83]. The Fingernails can introduce the harmful organisms to the food. Such is also the case when it comes to the physical contamination from the pests. The Foodborne pathogens and diseases can result if these contaminants are introduced into the food. This effect highlights the importance of the pest management outside of the production area. Cases of the physical contamination can result in a widespread food recall in the food manufacturers. In recent years, the presence of the physical contaminants has topped the charts of the food recalls. These contaminants were reportedly composed of the hard and the soft plastics, the metal, the rubber, and the glass, which may originate from the packaging materials and the unmaintained equipment. The concept of the fast food and the ecology. A man in a cap and a beard, holding a hamburger, and with disgust pulls out a thread [84-88].

The effective way to control the different types of the food

Contamination While these contaminants can easily go into

the food being prepared, the food handlers can prevent them with an effective food safety management system. The Proper preventive and control measures can be put in place to ensure that these contaminations are well monitored. Your best bet is to implement a digital. The Food Safety Management System (FSMS). At Food Docs, we offer an intuitive solution to control the risk of the food poisoning. Using our smart Food Monitoring System, you can be sure that the food safety practices are done effectively and on time [89-94]. The Common sources of the food contamination can be addressed even before they can create any damage. With our monitoring tasks set at autofill, your kitchen staff can save time and promote the accuracy of recordings. Additionally, our Food Safety System features detailed instructions on how to perform the food safety tasks. With this feature, you can ensure that every employee will perform the tasks exactly as instructed, ensuring the food safety daily. You can also upload your versions of the instructional materials to make training more personal for your business [95-100].

The Monitoring tasks with detailed instructions. The main cause of the food contamination .The main cause of the food contamination is the biological agents including the pathogenic bacteria, the viruses, the molds, the yeasts, and the parasites. Of the 250 identified foodborne diseases by the Centers for Disease Control and Prevention (CDC), the majority are attributed to different types of the bacteria, the viruses, and the parasites. The Foodborne illnesses resulting from the biological contaminants cause symptoms such as the vomiting, the diarrhea, and the abdominal pain. When left untreated, they can become lifethreatening [101-106].

One factor why the biological contaminants are considered the main cause of the food contamination is their ability to transfer from one place to another. The Bacteria and other types of the pathogens can easily be spread through the cross contamination. Because the pathogens are too tiny to be seen, the food handlers who do not practice the safe food handling can spread them from one point to another. By simply holding the raw foods and then a piece of the equipment or a clean utensil, the naturally present pathogens can spread [107-112]. You can learn more about how quickly the bacterial contamination can occur from one of our articles. More specifically, below are the five most common ways for the food to become contaminated in a food establishment are the Cross contamination, the Low quality materials, the Improper storage conditions, the Unclean preparation conditions and the Poor personal hygiene [113-119].

Conclusion

This is why one of the best ways to prevent the microbial contamination is to regularly and correctly wash the hands. The worst carrier of contamination in food service is a food handler who does not regularly wash his or her hands. The Microorganisms can be controlled through the proper foodhandling practices. Their number can be easily controlled with the operations such as cooking properly, the cleaning and the sanitizing, and the storing foods in the right conditions.

Conflicts of interest: The authors declare no conflicts of interest.

References

 Shaltout FA, Riad EM, AbouElhassan, Asmaa A. Prevalence of Mycobacterium Tuberculosis in Imported cattle Offals And Its lymph Nodes. Veterinary Medical Journal -Giza (VMJG). 2017; 63(2): 115 - 122.

- Shaltout FA, Riad EM, Asmaa Abou-Elhassan. Prevalence of Mycobacterium Spp. In Cattle Meat and Offal's Slaughtered In and Out Abattoir. Egyptian Veterinary medical Association. 2017; 77(2): 407 - 420.
- Abd Elaziz O, Fatin S Hassanin, Fahim A. Shaltout and Othman A. Mohamed. Prevalence of Some Foodborne Parasitic Affection in Slaughtered Animals in Loacal Egyptian Abottoir. Journal of Nutrition Food Science and Technology. 2021; 2(3): 1-5.
- 4. Abd Elaziz O, Fatin, S Hassanin , Fahim, A Shaltout, et al. Prevalence of some zoonotic parasitic affections in sheep carcasses in a local abattoir in Cairo, Egypt. Advances in Nutrition & Food Science. 2021; 6(2): 25-31.
- Al Shorman, AAM, Shaltout FA, hilat N. Detection of certain hormone residues in meat marketed in Jordan. Jordan University of Science and Technology, 1st International Conference on Sheep and goat Diseases and Productivity. 1999; 23-25.
- Ebeed Saleh, Fahim Shaltout, Essam Abd Elaal. Effect of some organic acids on microbial quality of dressed cattle carcasses in Damietta abattoirs, Egypt. Damanhour Journal of Veterinary Sciences. 2021; 5(2): 17-20.
- Edris A, Hassanin, F S Shaltout, FA Azza, H Elbaba, et al. Microbiological Evaluation of Some Heat Treated Fish Products in Egyptian Markets.EC Nutrition. 2017; 12(3): 124-132.
- Edris A, Hassan MA, Shaltout FA, Elhosseiny S. Chemical evaluation of cattle and camel meat. Benha veterinary medical journal. 2013; 24(2): 191-197.
- 9. Edris AM, Hassan MA, Shaltout FA, Elhosseiny S. Detection of E.coli and Salmonella organisms in cattle and camel meat. Benha veterinary medical journal. 2012; 24(2): 198-204.
- 10. Edris AM, Hemmat M I, Shaltout FA, Elshater MA, Eman FMI. Study on incipient spoilage of chilled chicken cuts-up. Benha veterinary medical journal. 2012; 23(1): 81-86.
- Edris AM, Hemmat MI, Shaltout FA, Elshater MA, Eman FMI.
 Chemical analysis of chicken meat with relation to its quality.
 Benha veterinary medical journal. 2012; 23(1): 87-92.
- Edris AM, Shaltout FA, Abd Allah AM. Incidence of Bacillus cereus in some meat products and the effect of cooking on its survival. Zag. Vet. J. 2005; 33(2): 118-124.
- 13. Edris AM, Shaltout FA, Arab WS. Bacterial Evaluation of Quail Meat. Benha Vet. Med. J. 2005; 16(1): 1-14.
- Edris AM, Shaltout FA, Salem GH, El-Toukhy EI. Incidence and isolation of Salmonellae from some meat products. Benha University, Faculty of Veterinary Medicine, Fourth Scientific Conference 25-27th May 2011Veterinary Medicine and Food Safety) benha, Egypt. 2011; 172-179.
- Edris AA, Hassanin FS, Shaltout FA, Azza H Elbaba, Nairoz M Adel. Microbiological Evaluation of Some Heat Treated Fish Products in Egyptian Markets. EC Nutrition. 2017; 134-142.
- 16. Edris AM, Shaltout FA, Salem GH, El-Toukhy El. Plasmid profile analysis of Salmonellae isolated from some meat products. Benha University, Faculty of Veterinary Medicine, Fourth Scientific Conference 25-27th May 2011Veterinary Medicine and Food Safety) benha, Egypt. 2011; 194-201.
- Ragab A, Abobakr M Edris, Fahim AE, Shaltout, Amani M, et al. Effect of titanium dioxide nanoparticles and thyme essential oil on the quality of the chicken fillet. Benha veterinary medical journal. 2022; 41(2): 38-40.

- 18. Hassan MA, Shaltout FA, Arfa MM, Mansour AH, Saudi KR. Biochemical studies on rabbit meat related to some diseases. Benha veterinary medical journal. 2013; 25(1): 88-93.
- Hassan MA, Shaltout FA. Occurrence of Some Food Poisoning Microorganisms In Rabbit Carcasses Alex. J. Vet. Science. 1997; 13(1): 55-61.
- Hassan M, Shaltout FA, Saqur N. Histamine in Some Fish Products. Archives of Animal Husbandry & Dairy Science. 2020; 2(1): 1-3.
- Hassan MA, Shaltout FA. Comparative Study on Storage Stability of Beef, Chicken meat, and Fish at Chilling Temperature. Alex. J. Vet. Science. 2004; 20(21): 21-30.
- 22. Hassan MA, Shaltout FA, Arafa MM, Mansour AH, Saudi KR. Biochemical studies on rabbit meat related to some diseases. Benha Vet. Med. J. 2013; 25(1): 88-93.
- 23. Hassan MA, Shaltout FA, Maarouf AA, El-Shafey WS. Psychrotrophic bacteria in frozen fish with special reference to pseudomonas species .Benha Vet. Med. J. 2014; 27(1): 78-83.
- 24. Hassan MA, Shaltout FA, Arafa MM, Mansour AH, Saudi KR. Bacteriological studies on rabbit meat related to some diseases Benha Vet. Med. J. 2013; 25(1): 94-99.
- Hassanin FS, Hassan MA, Shaltout FA, Nahla A Shawqy, Ghada A, et al. Chemical criteria of chicken meat. Benha Veterinary Medical Journal. 2017; 33(2): 457-464.
- 26. Hassanin FS, Hassan MA, Shaltout FA, Elrais-Amina M. Clostridium Perfringens In Vacuum Packaged Meat Products. Benha Veterinary Medical Journal. 2014; 26(1): 49-53.
- Hassanien FS, Shaltout FA, Fahmey MZ, Elsukkary HF. Bacteriological quality guides in local and imported beef and their relation to public health. Benha Veterinary Medical Journal. 2020; 39: 125-129.
- 28. Hassanin FS, Shaltout FA, Mostafa EM. Parasitic affections in edible offal. Benha Vet. Med. J. 2013; 25(2): 34-39.
- Hassanin FS, Shaltout FA, Lamada HM, Abd Allah EM. The effect of preservative (nisin) on the survival of listeria monocytogenes. Benha veterinary medical journal Special Issue [I]. 2011; 141-145.
- Khattab E, Fahim Shaltout, Islam Sabik. Hepatitis A virus related to foods. Benha Veterinary Medical Journal. 2021; 40(1): 174-179.
- Saad M Saad, Fahim A Shaltout, Amal A A, Farag, Hashim F Mohammed. Organophosphorus Residues in Fish in Rural Areas.
 Journal of Progress in Engineering and Physical Science. 2022; 1(1): 27-31.
- Saif M, Saad SM, Hassanin FS, Shaltout FA, Marionette Zaghloul. Molecular detection of enterotoxigenic Staphylococcus aureus in ready-to-eat beef products. Benha Veterinary Medical Journal. 2019; 37: 7-11.
- 33. Saif M, Saad SM, Hassanin FS, Shaltout FA, Marionette Zaghlou. Prevalence of methicillin-resistant Staphylococcus aureus in some ready-to-eat meat products. Benha Veterinary Medical Journal. 2019; 37(2019): 12-15.
- 34. Farag AA, Saad M Saad; Fahim A, Shaltout, Hashim F Mohammed. Studies on Pesticides Residues in Fish in Menofia Governorate. Benha Journal of Applied Sciences. 2023a; 8(5): 323-330.
- Farag AA, Saad M Saad, Fahim A, Shaltout, Hashim F Mohammed. Organochlorine Residues in Fish in Rural Areas. Benha Journal of Applied Sciences. 2023b; 8(5): 331-336.

- 36. Shaltout FA, Mona N, Hussein, Nada Kh, Elsayed. Histological Detection of Unauthorized Herbal and Animal Contents in Some Meat Products. Journal of Advanced Veterinary Research. 2023; 13(2): 157-160.
- Shaltout F A, Heikal GI, Ghanem AM. Mycological quality of some chicken meat cuts in Gharbiya governorate with special reference to Aspergillus flavus virulent factors. benha veteriv medical journal veterinary. 2022; 42(1): 12-16.
- Shaltout FA, Ramadan M Salem, Eman M Eldiasty, Fatma A Diab.
 Seasonal Impact on the Prevalence of Yeast Contamination of Chicken Meat Products and Edible Giblets. Journal of Advanced Veterinary Research. 2022; 12(5): 641-644.
- Shaltout FA, Abdelazez Ahmed Helmy Barr, Mohamed Elsayed Abdelaziz. Pathogenic Microorganisms in Meat Products. Biomedical Journal of Scientific & Technical Research. 2022; 41(4): 32836-32843.
- Shaltout FA, Thabet MG, Koura HA. Impact of Some Essential Oils on the Quality Aspect and Shelf Life of Meat. J Nutr Food Sci. 2017; 7: 647.
- Shaltout FA, Islam Z Mohammed, El –Sayed, A Afify. Bacteriological profile of some raw chicken meat cuts in Ismailia city, Egypt. Benha Veterinary Medical Journal. 2020; 39: 11-15.
- 42. Shaltout FA, Islam Z Mohammed, El -Sayed A Afify. Detection of E. coli O157 and Salmonella species in some raw chicken meat cuts in Ismailia province, Egypt. Benha Veterinary Medical Journal. 2020; 39: 101-104.
- Shaltout FA, EM El-diasty, M A Asmaa- Hassan. Hygienic Quality of Ready to Eat Cooked Meat in Restaurants at Cairo. Journal of Global Biosciences. 2020; 8(12): 6627-6641.
- Shaltout FA, Marrionet Z Nasief, L M Lotfy, Bossi T Gamil. Microbiological status of chicken cuts and its products. Benha Veterinary Medical Journal. 2019; 37: 57-63.
- 45. Shaltout FA. Poultry Meat. Scholarly Journal of Food and Nutrition. 2019; 22: 1-2.
- 46. Shaltout FA. Food Hygiene and Control. Food Science and Nutrition Technology. 2019; 4(5): 1-2.
- Hassanin FS, Shaltout FA, Seham N, Homouda, Safaa M, Arakeeb. Natural preservatives in raw chicken meat. Benha Veterinary Medical Journal. 2019; 37: 41-45.
- Hazaa W, Shaltout FA, Mohamed El-Shate. Prevalence of some chemical hazards in some meat products. Benha Veterinary Medical Journal. 2019; 37(2): 32-36.
- 49. Hazaa W, Shaltout FA, Mohamed El-Shater. Identification of Some Biological Hazards in Some Meat Products. Benha Veterinary Medical Journal. 2019; 37(2): 27-31.
- Gaafar R, Hassanin FS, Shaltout FA, Marionette Zaghloul. Molecular detection of enterotoxigenic Staphylococcus aureus in some ready to eat meat-based sandwiches. Benha Veterinary Medical Journal. 2019; 37(2): 22-26.
- Gaafar R, Hassanin FS, Shaltout FA, Marionette Zaghloul. Hygienic profile of some ready to eat meat product sandwiches sold in Benha city, Qalubiya Governorate, Egypt. Benha Veterinary Medical Journal. 2019; 37(2): 16-21.
- Saad SM, Shaltout FA, Nahla A Abou Elroos, Saber B El-nahas. Antimicrobial Effect of Some Essential Oils on Some Pathogenic Bacteria in Minced Meat. J Food Sci Nutr Res. 2019; 2(1): 012-020.
- 53. Saad SM, Shaltout FA, Nahla A Abou Elroos, Saber B El-nahas. Incidence of Staphylococci and E. coli in Meat and Some Meat

- Products. EC Nutrition. 2019; 14: 6.
- 54. Saad SM, Hassanin FS, Shaltout FA, Marionette Z Nassif, Marwa Z Seif. Prevalence of Methicillin-Resistant Staphylococcus Aureus in Some Ready-to-Eat Meat Products. American Journal of Biomedical Science & Research. 2019; 4(6): 460-464.
- Shaltout. Fahim Pollution of Chicken Meat and Its Products by Heavy Metals. Research and Reviews on Healthcare: Open Access Journal. 2019; 4: 3(381-3382).
- Shaltout FA, E M EL-diasty, M S M Mohamed. Effects of chitosan on quality attributes fresh meat slices stored at 4 C. Benha Veterinary Medical Journal. 2018; 35(2): 157-168.
- Shaltout, Abdel-Aziz. Salmonella enterica serovar Enteritidis in poultry meat and their epidemiology. Vet. Med. J. Giza. 2004; 52: 429-436.
- Shaltout FA, Hala F El-Shorah, Dina I El Zahaby, Lamiaa M Lotfy.
 Bacteriological Profile of Chicken Meat Products. SciFed Food & Dairy Technology Journal. 2018; 2: 3.
- Shaltout FA, Mohamed AH El-Shater, Wafaa Mohamed Abd El-Aziz. Bacteriological assessment of Street Vended Meat Products sandwiches in kalyobia Governorate. Benha Veterinary Medical Journal. 2015; 28(2): 58-66.
- Shaltout FA, Mohamed A El shatter, Heba M Fahim. Studies on Antibiotic Residues in Beef and Effect of Cooking and Freezing on Antibiotic Residues Beef Samples. Scholarly Journal of Food and Nutritionm. 2019; 2(1): 1-4
- Shaltout FA, Zakaria IM, Nabil ME. Incidence of Some Anaerobic Bacteria Isolated from Chicken Meat Products with Special Reference to Clostridium perfringens. Nutrition and Food Toxicology 2.5. 2018; 429-438.
- Shaltout FA, Ahmed A A Maarouf, Mahmoud ES Elkhouly. Bacteriological Evaluation of Frozen Sausage. Nutrition and Food Toxicology. 2017; 1(5): 174-185.
- 63. Shaltout FA, El-Toukhy El, Abd El-Hai MM. Molecular Diagnosis of Salmonellae in Frozen Meat and Some Meat Products. Nutrition and Food Technology Open Access. 2019; 5(1): 1-6.
- 64. Shaltout FA, A M Ali, S M Rashad. Bacterial Contamination of Fast Foods. Benha Journal of Applied Sciences (BJAS). 2016; 1(2): 45-51.
- Shaltout FA, Zakaria IM, Jehan Eltanani, Asmaa. Elmelegy. Microbiological status of meat and chicken received to University student hostel. Benha Veterinary Medical Journal. 2015; 29(2): 187-192.
- 66. Saad SM, Edris AM, Shaltout FA, Edris Shimaa. Isolation and identification of salmonellae and E.coli from meat and poultry cuts by using A.multiplex PCR. Benha Vet. Med. J. Special issue. 2012; 16-26.
- 67. Saad SM, Shaltout FA. Mycological Evaluation of camel carcasses at Kalyobia Abattoirs. Vet.Med.J. Giza. 1998; 46(3): 223-229.
- Saad SM, Shaltout FA, Nahla A Abou Elroos, Saber B El-nahas.
 Antimicrobial Effect of Some Essential Oils on Some Pathogenic Bacteria in Minced Meat. J Food Sci Nutr Res. 2019; 2 (1): 012-020.
- 69. Saad SM, Hassanin FS, Shaltout FA, Marionette Z Nassif, Marwa Z Seif. Prevalence of Methicillin-Resistant Staphylococcus Aureus in Some Ready-to-Eat Meat Products. American Journal of Biomedical Science & Research. 2019; 4(6): 460-464.
- Saad SM, Shaltout FA, Nahla A Abou Elroos, Saber B El-nahas.
 Incidence of Staphylococci and E. coli in Meat and Some Meat Products. EC Nutrition. 2019; 14: 6.

- 71. Shaltout FA, Riad EM, TES Ahmed, AbouElhassan A. Studying the Effect of Gamma Irradiation on Bovine Offal's Infected with Mycobacterium tuberculosis Bovine Type. Journal of Food Biotechnology Research. 2017; 1(6): 1-5.
- Shaltout FA, Zakaria IM, Nabil ME. Incidence of Some Anaerobic Bacteria Isolated from Chicken Meat Products with Special Reference to Clostridium perfringens. Nutrition and Food Toxicology 2.5. 2018; 429-438.
- Shaltout FA, Mohamed A, Hassan, Hassanin FS. Thermal inactivation of enterohaemorrhagic escherichia coli o157:h7 and its senstivity to nisin and lactic acid cultures. 1rst Ann. Confr., FVM., Moshtohor, Sept. 2004.
- Shaltout FA, El-diasty EM, Elmesalamy M, Elshaer M. Study on fungal contamination of some chicken meat products with special reference to 2 the use of PCR for its identification. Conference, Veterinary Medical Journal - Giza vol. 2014; 60: 1-10.
- Shaltout FA. Microbiological Aspects of Semi-cooked chicken Meat Products. Benha Veterinary Medical Journal. 2002; 13(2): 15-26.
- Shaltout FA, Thabet MG, Hanan A Koura. Impact of some essential oils on the quality aspect and shelf life of meat. Benha Veterinary Medical Journal. 2017; 33(2): 351-364.
- 77. Shaltout FA, Mohammed Farouk, Hosam AA, Ibrahim, Mostafa EM, et al. Incidence of Coliform and Staphylococcus aureus in ready to eat fast foods. Benha veterinary medical journal. 2017; 32(1): 13-17.
- 78. Shaltout FA, Zakaria IM, Nabil ME. Detection and typing of Clostridium perfringens in some retail chicken meat products. Benha veterinary medical journal. 2017; 33(2): 283-291.
- Shaltout FA. Studies on Mycotoxins in Meat and Meat by Products. M. V. Sc Thesis Faculty of Veterinary Medicine, Moshtohor, Zagazig University Benha branch. 1992.
- Shaltout FA. Mycological And Mycotoxicological profile Of Some Meat products. Ph. D. Thesis, Faculty of Veterinary Medicine, Moshtohor, Zagazig University Benha branch. 1996.
- 81. Shaltout FA. (1998): Proteolytic Psychrotrophes in Some Meat products. Alex. Vet. Med. J.14 (2):97-107.
- 82. Shaltout FA. Anaerobic Bacteria in Vacuum Packed Meat Products. Benha Vet. Med. J. 1999; 10(1): 1-10.
- 83. Shaltout FA. Protozoal Foodborne Pathogens in some Meat Products. Assiut Vet. Med. J. 2000; 42(84): 54-59.
- Shaltout FA. Quality evaluation of sheep carcasses slaughtered at Kalyobia abattoirs. Assiut Veterinary Medical Journal. 2001; 46(91): 150-159.
- 85. Shaltout FA. Microbiological Aspects of Semi-cooked Chicken Meat Products. Benha Vet. Med. J. 2002; 13(2): 15-26.
- Shaltout FA. Yersinia Enterocolitica in some meat products and fish marketed at Benha city. The Third international conference Mansoura. 2003.
- 87. Shaltout FA. Microbiological quality of chicken carcasses at modern Poultry plant. The 3rd Scientific Conference, Faculty of Vet. Med., Benha University. 2009; 1-3.
- Shaltout FA, Abdel Aziz, A M. Salmonella enterica Serovar Enteritidis in Poultry Meat and their Epidemiology .Vet. Med. J. Giza. 2004; 52(3): 429-436.
- 89. Shaltout FA, Abdel Aziz, AM. Escherichia coli strains in slaughtered animals and their public health importence. J.Egypt. Vet. Med. Association. 2004; 64(2): 7-21.

- 90. Shaltout FA, Amin R, Marionet Z, Nassif, Shimaa, et al. Detection of aflatoxins in some meat products. Benha veterinary medical journal. 2014; 27(2): 368-374.
- 91. Shaltout FA, Afify Jehan, Riad EM, Abo Elhasan, Asmaa A. Improvement of microbiological status of oriental sausage. Journal of Egyptian Veterinary Medical Association. 2012; 72(2): 157-167.
- 92. Shaltout FA, Daoud JR. Chemical analytical studies on rabbit meat and liver. Benha Vet. Med. J. 1996; 8(2): 17-27.
- 93. Shaltout FA, Edris AM. Contamination of shawerma with pathogenic yeasts. Assiut Veterinary Medical Journal. 1999; 40(64): 34-39.
- 94. Shaltout FA, Eldiasty E, Mohamed MS. Incidence of lipolytic and proteolytic fungi in some chicken meat products and their public health significance. Animal Health Research Institute: First International Conference on Food Safety and Technology 19-23 June 2014 Cairo Egypt pages. 2014; 79-89.
- Shaltout FA, Eldiasty E, Salem R, Hassan Asmaa. Mycological quality of chicken carcasses and extending shelf - life by using preservatives at refrigerated storage. Veterinary Medical Journal -Giza (VMJG). 2016; 62(3): 1-7.
- 96. Shaltout FA, Salem R, Eldiasty E, Diab Fatema. Mycological evaluation of some ready to eat meat products with special reference to molecular chacterization. Veterinary Medical Journal -Giza. 2016; 62(3): 9-14.
- 97. Shaltout FA, Elshater M, Wafaa, Abdelaziz. Bacteriological assessment of street vended meat products sandwiches in Kalyobia Governorate. Benha Vet. Med. J. 2015; 28 (2): 58-66.
- Shaltout FA, Gerges MT, Shewail AA. Impact of Organic Acids and Their Salts on Microbial Quality and Shelf Life of Beef. Assiut veterinary medical journal. 2018; 64(159): 164-177
- Shaltout FA, Ghoneim AM, Essmail ME, Yousseif A. Studies on aflatoxin B1 residues in rabbits and their pathological effects. J. Egypt. Vet. Med. Association. 2001; 61(2): 85-103.
- 100. Shaltout FA, Hanan MT, El-Lawendy. Heavy Metal Residues in Shawerma. Beni-Suef Vet. Med. J. 2003; 13(1): 213-224.
- 101. Shaltout FA, Hashim MF. Histamine in salted, Smoked and Canned Fish products. Benha Vet. Med. J. 2002; 13(1): 1-11.
- Shaltout FA, Hashim MF, Elnahas S. Levels of some heavy metals in fish (tilapia nilotica and Claris lazera) at Menufia Governorate. Benha Vet. Med. J. 2015; 29(1): 56-64.
- 103. Shaltout FA, Ibrahim HM. Quality evaluation of luncheon and Alexandrian sausage. Benha Vet. Med. J. 1997; 10(1): 1-10.
- 104. Shaltout FA, Nassif M, Shakran A. Quality of battered and breaded chicken meat products. Global Journal of Agriculture and Food Safety Science. 2014; 1(2): ISSN 2356-7775.
- Shaltout FA, Amani M Salem, A H Mahmoud. K A. Bacterial aspect of cooked meat and offal at street vendors level. Benha veterinary medical journal. 2013; 24(1): 320-328.

- 106. Shaltout FA, Salem RM. Moulds aflatoxin B1 and Ochratoxin A in Frozen Livers and meat products. Vet. Med. J. Giza. 2000; 48(3): 341-346.
- Yasser H, Al-Tarazi, A Al-Zamil, Shaltout FA, H Abdel- Samei. Microbiological status of raw cow milk marketed in northern Jordan. AVMJ. 2002; 49(96): 180-194
- 108. Shaltout FA, Zakaria IM, Nabil ME. Incidence of Some Anaerobic Bacteria Isolated from Chicken Meat Products with Special Reference to Clostridium perfringens. Nutrition and Food Toxicology. 2018; 2(5): 429-438.
- 109. Shaltout FA, El-diasty EM, Mohamed MS. Incidence of lipolytic and proteolytic fungi in some chicken meat products and their public health significance. 1st Scientific conference of food safety and Technology .2014; 79-89.
- 110. Shaltout FA, El-diasty EM, Salem RM, Asmaa MA Hassan. Mycological quality of chicken carcasses and extending shelf-life by using preservatives at refrigerated storage. Veterinary Medical Journal Giza. 2016; 62(3): 1-10.
- Shaltout FA, RM Salem, EM El-Diasty, WIM Hassan. Effect of Lemon Fruits and Turmeric Extracts on Fungal Pathogens in Refrigerated Chicken Fillet Meat. Global Veterinaria. 2019; 21(3): 156-160.
- 112. Shaltout FA, El-diasty EM, Elmesalamy M, Elshaer M. Study on fungal contamination of some chicken meat products with special reference to 2 the use of PCR for its identification. Conference, Veterinary Medical Journal - Giza vol. December. 2014; 60: 1-10.
- 113. Shaltout F A, Salem R M, El-diasty, Eman, Fatema AH Diab. My-cological evaluation of some ready to eat meat products with special reference to molecular characterization. Veterinary Medical Journal Giza. 2016; 62(3): 9-14.
- 114. Shaltout FA, Ahmed AA, Maarouf, Eman, MK Ahmed. Heavy Metal Residues in chicken cuts up and processed chicken meat products. BENHA VETERINARY MEDICAL JOURNAL. 2018; 34(1): 473-483.
- 115. Shaltout FA, Hanan M Lamada, Ehsan AM. Edris. Bacteriological examination of some ready to eat meat and chicken meals. Biomed J Sci & Tech Res. 2020; 27(1): 20461- 20465.
- 116. Sobhy, Asmaa, Shaltout, Fahim. Prevalence of some food poisoning bacteria in semi cooked chicken meat products at Qaliubiya governorate by recent Vitek 2 compact and PCR techniques. Benha Veterinary Medical Journal. 2020; 38: 88-92.
- Sobhy, Asmaa, Shaltout, Fahim. Detection of food poisoning bacteria in some semi-cooked chicken meat products marketed at Qaliubiya governorate. Benha Veterinary Medical Journal. 2020; 38: 93-96.
- 118. Shaltout FA. Abattoir And Bovine Tuberculosis as A Reemerging Foodborne Diseas. Clinical Medical Reviews and Report. 2024; 6(1): 1-7.
- Shaltout FA. Viruses in Beef, Mutton, Chevon, Venison, Fish and Poultry Meat Products. Food Science & Nutrition Technology. 2023; 8(4): 1-10.